


## SUPPORTING PHOTOGRAPHY

---

October 6, 2010

### Image A

Prototype of the New Way Pass-Through Vacuum Chamber (THE SUBJECT OF THIS PRESS RELEASE)



**Suggested Caption:**

The New Way Air Bearings pass-through vacuum chamber deployed on a rolling cart during the laboratory testing phase.

---

### Image B

New Way Porous Media Visual




**Suggested Caption:**

New Way Porous Media Technology distributes air pressure uniformly across the entire bearing surface through millions of sub-micron sized holes.

## Image C

Drawing of the New Way Pass-Through Vacuum Chamber Prototype (THE SUBJECT OF THIS PRESS RELEASE)




**Suggested Caption:**

A schematic of the prototype chamber, developed to validate performance characteristics in the lab as well as in the real world.

## Image D

Drawing of the Pass-Through Vacuum Chamber's Differentially-Pumped Grooves




**Suggested Caption:**

The bottom half of the chamber showing the differentially-pumped grooves.

## Image E

Drawing of the Pass-Through Vacuum Chamber's Integration with Novacentrix PulseForge technology



**Suggested Caption:**

The New Way Pass-Through Vacuum Chamber integrated into the Novacentrix PulseForge 3100 curing system.

**Logo 1**  
New Way Air Bearings



**Logo 2**  
FlexTech Alliance



**Logo 3**  
Novacentrix



*Contact Information:*

Michael Wright  
Director of Marketing  
New Way Air Bearings  
50 McDonald Blvd., Aston, PA 19014 USA  
Phone 610.364.3453 Email [mwright@newwayairbearings.com](mailto:mwright@newwayairbearings.com)